

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SANIT Rohrreiniger

Revision date: 05.12.2019 Product code: 5551407 Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SANIT Rohrreiniger

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Company name: SANIT-Chemie

Reinigungsmittel und -geräte GmbH

Street: Dieselstr. 38

Place: D-74211 Leingarten
Telephone: +49 7131 902100

Telephone: +49 7131 902100 Telefax: +49 7131 404360

e-mail: info@sanit-chemie.de

Contact person: Produktmanagement Telephone: 07131 90210-20

Internet: www.sanit-chemie.de

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sodium hydroxide; caustic soda **Signal word:**Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Print date: 05.12.2019



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SANIT Rohrreiniger

Revision date: 05.12.2019 Product code: 5551407 Page 2 of 5

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1310-73-2	sodium hydroxide; caustic soda			95 - <= 100 %
	215-185-5	011-002-00-6		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with: Water. Subsequently wash off with: Polyethylene glykol 400. Remove contaminated, saturated clothing immediately.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

Print date: 05.12.2019



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SANIT Rohrreiniger

Revision date: 05.12.2019 Product code: 5551407 Page 3 of 5

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
1310-73-2	sodium hydroxide; caustic soda				
Consumer DNEL, long-term		inhalation	local	1 mg/m³	
Worker DNEL, acute		dermal	local	< 2 %	
Worker DNEL, long-term		inhalation	local	1 mg/m³	

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Tested protective gloves are to be worn: (EN ISO 374) Thickness of glove material: 0,65 mm CR (polychloroprenes, Chloroprene rubber). penetration time (maximum wearing period): 480 min

Respiratory protection

Avoid dust formation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Granulate Colour: white

Changes in the physical state

Melting point: 320 °C Water solubility: completely miscible

SECTION 10: Stability and reactivity



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SANIT Rohrreiniger

Revision date: 05.12.2019 Product code: 5551407 Page 4 of 5

10.1. Reactivity

During dilution or dissolving in water, strong heating-up always takes place. Slowly corrodes aluminium and zink under hydrogen evolution.

10.5. Incompatible materials

Acid.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

strongly corrosive.

Irritation and corrosivity

after ingestion: Irritant and corrosive effects. Potential hazards: Stomach perforation.

Sensitising effects

no danger of sensitization.

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.2. Persistence and degradability

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. The product is an alkali. Before discharge into sewage plants the product normally needs to be neutralised.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN1823

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Classification code: C6
Limited quantity: 1 kg



Safety Data Sheet

according to Regulation (EC) No 1907/2006

SANIT Rohrreiniger

Revision date: 05.12.2019 Product code: 5551407 Page 5 of 5

Transport category: 2
Hazard No: 80
Tunnel restriction code: E
Other applicable information (land transport)

⊏2

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)